



10/27/99

Please type a plus sign (+) inside this box → ☐

PTO/SB/05 (4/98)

Approved for use through 09/30/2000. OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL (Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))	Attorney Docket No. <u>Vitamarica I</u>
	First Inventor or Application Identifier <u>Szynalski I</u>
	Title <u>Stop Smoking Method and Composition</u>
	Express Mail Label No. <u>n/a</u>

APPLICATION ELEMENTS See MPEP chapter 600 concerning utility patent application contents.	ADDRESS TO: Assistant Commissioner for Patents Box Patent Application Washington, DC 20231
1. <input checked="" type="checkbox"/> * Fee Transmittal Form (e.g., PTO/SB/17) (Submit an original and a duplicate for fee processing)	5. <input type="checkbox"/> Microfiche Computer Program (Appendix)
2. <input checked="" type="checkbox"/> Specification [Total Pages <u>36</u>] (preferred arrangement set forth below) - Descriptive title of the Invention - Cross References to Related Applications - Statement Regarding Fed sponsored R & D - Reference to Microfiche Appendix - Background of the Invention - Brief Summary of the Invention - Brief Description of the Drawings (if filed) - Detailed Description - Claim(s) - Abstract of the Disclosure	6. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary) a. <input type="checkbox"/> Computer Readable Copy b. <input type="checkbox"/> Paper Copy (identical to computer copy) c. <input type="checkbox"/> Statement verifying identity of above copies
3. <input type="checkbox"/> Drawing(s) (35 U.S.C. 113) [Total Sheets <u>-0-</u>]	ACCOMPANYING APPLICATION PARTS
4. Oath or Declaration [Total Pages <input type="checkbox"/>] a. <input checked="" type="checkbox"/> Newly executed (original or copy) b. <input type="checkbox"/> Copy from a prior application (37 C.F.R. § 1.63(d)) (for continuation/divisional with Box 16 completed) i. <input type="checkbox"/> DELETION OF INVENTOR(S) Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b).	7. <input checked="" type="checkbox"/> Assignment Papers (cover sheet & document(s)) 8. <input checked="" type="checkbox"/> 37 C.F.R. § 3.73(b) Statement <input type="checkbox"/> Power of Attorney (when there is an assignee) 9. <input type="checkbox"/> English Translation Document (if applicable) 10. <input type="checkbox"/> Information Disclosure Statement (IDS)/PTO-1449 <input type="checkbox"/> Copies of IDS Citations 11. <input type="checkbox"/> Preliminary Amendment 12. <input checked="" type="checkbox"/> Return Receipt Postcard (MPEP 503) (Should be specifically itemized) 13. <input checked="" type="checkbox"/> * Small Entity Statement(s) <input type="checkbox"/> Statement filed in prior application, Status still proper and desired (PTO/SB/09-12) 14. <input type="checkbox"/> Certified Copy of Priority Document(s) (if foreign priority is claimed) 15. <input type="checkbox"/> Other:

* NOTE FOR ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).

16. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No: _____

Prior application information: Examiner _____ Group / Art Unit: _____

For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

17. CORRESPONDENCE ADDRESS

☐ Customer Number or Bar Code Label ☐ Correspondence address below


(Insert Customer No. or Attach bar code label here)

Name	Mark Pohl, Registered Patent Att'y		
Address	55 Madison Avenue, 4th Floor		
City	Morristown	State	NJ
Country	USA	Zip Code	07960
	Telephone	Fax	(973) 665-0275

Name (Print/Type)	Mark Pohl	Registration No. (Attorney/Agent)	35,325
Signature	<i>A. Meul Pohl</i>	Date	Oct. 25, 1999

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

STATEMENT CLAIMING SMALL ENTITY STATUS (37 CFR 1.9(f) & 1.27(c))--SMALL BUSINESS CONCERN	Docket Number (Optional) <u>Vitamerica I</u>
<p>Applicant, Patentee, or Identifier: <u>Szynalski, Alexander Goen</u> Application or Patent No.: _____ Filed or Issued: <u>filed October 21, 1999</u> Title: <u>Stop Smoking Method and Composition</u></p> <p>I hereby state that I am <input type="checkbox"/> the owner of the small business concern identified below: <input checked="" type="checkbox"/> an official of the small business concern empowered to act on behalf of the concern identified below:</p> <p>NAME OF SMALL BUSINESS CONCERN <u>Goen Corporation</u></p> <p>ADDRESS OF SMALL BUSINESS CONCERN <u>8 Ridgedale Ave., Cedar Knolls NJ</u> <u>07927</u></p> <p>I hereby state that the above identified small business concern qualifies as a small business concern as defined in 13 CFR Part 121 for purposes of paying reduced fees to the United States Patent and Trademark Office, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time, or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.</p> <p>I hereby state that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention described in:</p> <p><input type="checkbox"/> the specification filed herewith with title as listed above. <input checked="" type="checkbox"/> the application identified above. <input type="checkbox"/> the patent identified above.</p> <p>If the rights held by the above identified small business concern are not exclusive, each individual, concern, or organization having rights in the invention must file separate statements as to their status as small entities, and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e).</p> <p><input type="checkbox"/> Each person, concern, or organization having any rights in the invention is listed below: <input type="checkbox"/> no such person, concern, or organization exists. <input type="checkbox"/> each such person, concern, or organization is listed below.</p> <p>Separate statements are required from each named person, concern or organization having rights to the invention stating their status as small entities. (37 CFR 1.27)</p> <p>I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))</p> <p>NAME OF PERSON SIGNING <u>Alexander Goen Szynalski</u> TITLE OF PERSON IF OTHER THAN OWNER <u>Chief Executive Officer</u> ADDRESS OF PERSON SIGNING <u>8 Ridgedale Avenue, Cedar Knolls NJ 07927</u> SIGNATURE <u></u> DATE <u>Oct 25, 1999</u></p>	

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Certificate of Mailing under 37 CFR 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to:

Assistant Commissioner for Patents
Washington, D.C. 20231

on Oct. 25, 1999
Date

J. Mark Pohl

Signature

J. Mark Pohl, Reg. No. 35,325

Typed or printed name of person signing Certificate

Note: Each paper must have its own certificate of mailing, or this certificate must identify each submitted paper.

Stop Smoking Method and Composition

By Alexander Goen Szynalski

A portion of the disclosure of this patent document contains material which is subject to copyright protection. The copyright owner has no objection to the facsimile reproduction by anyone of the patent disclosure, as it appears in the Patent and Trademark Office patent files or records, but otherwise reserves all copyright rights whatsoever.

Background

The prior art discloses many stop-smoking products and methods including, for example; (A) education to educate smokers regarding smoking, its physiological dangers and addictive nature, and conscious techniques to stop smoking; (B) hypnosis, to use the unconscious mind to stop smoking; and (C) nutritional supplements, addressing the nutritional challenges with regard to stopping smoking.

Summary

While using each one of these three elements is known in the art, I have found that by combining all of these three elements together, they act on the three areas most important for stopping smoking - the conscious mind, the unconscious mind, and the body - and are synergistically effective in helping people to stop smoking.

This synergy was unexpected. I am a Certified Hypnotist and am a Nutritionist, with over twenty years experience in the fields of hypnosis, seminar presentation and nutrition. I am a member of the American Association of Professional Hypnotherapists, the National Guild of Hypnotists, the

International Association of Counselors and Therapists, and am certified by the Hypnodyne Foundation. I am listed in Who's Who in Executives and Professionals, and I was a finalist for the 1999 Ernst & Young *Entrepreneur of the Year* award. I have been a
5 special guest on numerous national television and radio programs, and was featured on the #1 television fitness show in the country. I maintain a practice in Cedar Knolls, New Jersey. I have successfully used hypnosis in many types of situations. I have, for example, worked with athletes to improve their athletic
10 performance, and have worked with corporations as a sales and personal-development trainer. I am driven by a sincere passion for helping people maximize their personal potential and overcome addictions to smoking and food. I enjoy a reputation for extremely high success through my seminars.

Detailed Description

My invention therefore comprises three elements: (1) education for the conscious mind regarding smoking, its physiological dangers and addictive nature, and techniques to stop smoking; (2) hypnosis for the unconscious mind, which hypnosis
20 addresses the unconscious mind and its way of affecting behavior; and (3) dietary substances, to address the physiological needs of a person entailed in stopping smoking.

Education. The first element of my invention is education regarding smoking. This educational process can include
25 addressing the benefits of a regular exercise program. Thus, the educational materials or program educates the smoker to engage in some form of light exercise. Not only will exercise help clear the body of the toxins acquired through smoking, but exercise will

also help release endorphins which relieve stress as well as making you feel good. Exercise will rapidly reverse the damage done to the body from smoking. If the smoker has not engaged in exercise for a long time, or the smoker has a weight problem or
5 any other health problem, the smoker should consult their physician before starting any regimen of exercise.

In addition to this, I have found that in my preferred embodiment of my invention, the education program also addresses the physiological progression of smoking, its physiological
10 dangers and addictive nature, and some conscious techniques to stop smoking.

© 1999

The physiological progression of smoking entails three discreet steps. Knowing these steps helps the smoker recognize
15 them as they occur, and thus recognize the needs they fill.

Stage 1 - Light a cigarette and inhale. This takes about 7

seconds. The deep breath of the inhale increases the flow of blood and oxygen to the heart and you feel more relaxed (not due to the cigarette, but due to the deep
20 breath).

Stage 2 - Seven seconds to fifteen minutes later, nicotine enters the liver, which in turn releases sugar into the bloodstream. This results in a physical uplift (not from the cigarette, but from the release of sugar into the
25 bloodstream) which then in turn causes the pancreas to release insulin into the bloodstream. This gives you an energy boost. Normally, it is a temporary energy boost because the muscle cells of the body are resistant to

insulin. So what happens is that your energy level goes up and then crashes, all over again. In fifteen minutes, you want to start smoking again due to the tense feelings you experience from your energy level being reduced. What we suggest is for you to sensitize your body to insulin. Before we suggest how you do this, you first should study the two diagrams pictured below. To better understand this phenomenon, we will provide an in-depth clarification of the diagrams.

Stage 3 - Fifteen to twenty minutes after beginning to smoke, the nicotine interrupts the normal transmission of neurons by competing with acetylcholine at the nerve terminal, producing such effects as an increased heart rate and respiration, along with feelings of tension and of being "wired up." It also increases arousal and a sense of well-being and focused attention. A side benefit to understanding this step is to take proper nutrients so you do not allow this physical and physiological progression of smoking to occur. This will help with maintaining or even reducing weight and increasing lean muscle tissue.

In my preferred embodiment, the smoker is educated on the physiological dangers and addictive nature of smoking. These dangers are now so widely known as to not need to be discussed in detail here.

In my preferred embodiment, the person is educated on the benefits of modifying their daily diet. This addresses

potential weight gain problems, one of the biggest fears of smokers.

Regarding potential weight gain, why do we gain weight when we stop smoking? Muscle cells become more sensitive to

5 insulin. In my preferred embodiment, therefore, I recommend :

- Avoid refined carbohydrates. All carbohydrates start out in their rarest edible form as complex, but we make them refined by processing, preserving, storing, drying, and cooking.

- Increase physical activity, especially five to fifteen minutes 10 after meals.

- Take 100 micrograms of chromium along with the proper cofactors, one half hour before each meal with a full glass of water. The product containing chromium (CHROMIUM CHELAVITE™) that I prefer is TRIMSPA®, available from Vitamerica, Inc., Cedar 15 Knolls, New Jersey.

- Acquire a cigarette cessation product containing the herb lobelia, which aids any withdrawal that some may experience. Lobelia is a natural herb that tricks the body into thinking it is nicotine, but it does not have the side effects. In the preferred 20 embodiment of my invention, I recommend CIGSATION™, available from Vitamerica, Inc., Cedar Knolls, New Jersey.

- Cut back on drinking coffee and other caffeinated beverages. Sometimes the stress or anxiety that quitters experience is due to the physiological effects of caffeine on the nervous system and 25 not due to withdrawal from nicotine. Try drinking decaffeinated tea or some other warm decaffeinated beverage. Drinking a hot tea provides the same psychological effect as drinking hot coffee.

• Eat healthy, nourishing, non-processed foods and take a good vitamin supplement. Remember, the 200+ toxins in cigarette smoke have helped deplete the body of vitamins. Five cigarettes can deplete all the vitamin C in the body! By eating a healthy diet,
5 you will recover your health more quickly.

In my preferred embodiment, the smoker is educated to do this for at least the first week, preferably for the first 21 days, after stopping smoking : • Eat 3 meals a day, including breakfast

- 10 • Have protein and complex carbohydrates with each meal
- Avoid sugar
- Drink 8 glasses of non-caloric liquids a day - drink water with lemon, seltzer, herbal tea, etc.
- Keep a pitcher of water on your desk and you'll easily drink 8
15 glasses a day
- Between meals, drink fruit juices or eat a piece of fruit
- Eat lots of fruits, vegetables and salads
- As soon as you finish eating, leave the table and go brush your teeth
- 20 • Use mouthwash whenever possible

In my preferred embodiment, the smoker is admonished : to not skip any meals (and never miss breakfast); to limit refined- sugar intake (and read packaging labels); to avoid beverages with caffeine (tea, colas, coffee, hot chocolate); and,
25 if you must have them, drink tea or coffee out of a juice glass using a straw; and NO alcohol.

We described above the change in blood sugar levels caused by smoking and the physical and emotional response it has

on the body. If your blood sugar level gets low, you will either crave a cigarette or something sweet. In either case, it will boost your blood sugar level for 10 to 20 minutes and then cause a crash, triggering another urge for a cigarette or a sweet. By eating 3 meals a day, you will tend to have a stable blood sugar level, and this minimizes cigarette and eating urges. Eating protein with carbohydrates at breakfast sets the stage for stable blood sugar levels all through the day. Protein with complex carbohydrates stabilizes the blood sugar.

I have also found it useful to teach persons quitting smoking to carry a nonfood item such as a swizzle stick or a low calorie food such as celery or carrot sticks. Use these to gratify any oral habit that has been developed by the conditioned response of putting your hand to your mouth 250 times a day, as if you were a one pack a day smoker.

By providing the smoker with this kind of educational program, the smoker is able to consciously and analytically understand their need to smoke and to approach the decision to smoke, or to not smoke, in an analytical, dispassionate manner.

Hypnosis. In addition to the conscious, analytical mind, one can aid the stop-smoking process by using the subconscious mind. In my invention, it is important to use both the conscious mind - via the educational program discussed above - and the unconscious mind, with hypnosis.

The subconscious mind dominates your thinking and behaviors. It is programmed using repetition and the subconscious mind basically behaves for two reasons. It tries to take you towards pleasure and it wants you to stay away from pain. For

example, when you have a cup of coffee, you grab a cigarette; you get into a car, you grab a cigarette; you get stuck at a light, you grab a cigarette; you get a break at work, you grab a cigarette; you have a cocktail, you grab a cigarette. If you do not experience these triggers, you may very often go many hours without having a cigarette. It is important that you identify these scenes so we can then break the connection of the cigarettes to the scenes.

With hypnosis, the subconscious mind no longer aids the body to smoke more often, but rather aids the body to stop smoking, during precisely those periods when a smoker is accustomed to having a cigarette. Instead of the subconscious making the body scream for nicotine after a meal, or with coffee or alcohol, the subconscious will help the smoker remain calm and pain free.

When used to stop smoking, I have found that in my preferred embodiment, the hypnosis focuses on interrupting "conditioned responses" generally, and specifically, on interrupting the response to smoke. Conditioned responses are actions (e.g., reaching for a cigarette) motivated not by a consciously-perceived need, but rather by unconscious habit.

Is smoking more of a physical or more of a psychological addiction? For example, how many times have you gone two, three or four hours without even smoking one cigarette and then in another hour you may smoke four, five or six cigarettes? Why is that? It is because certain events, or certain times of the day can trigger you to smoke a cigarette. Therefore, it is necessary

to break these unconscious connections, and such breakage occurs,
I found, most efficiently using unconscious means - hypnosis.

In my preferred embodiment of my invention, the hypnosis
is done in-person and is reinforced later with prerecorded media
5 such as audio-tapes.

Hypnosis techniques are known in the art. In my
preferred embodiment, I prefer the in-person hypnosis to follow a
six-step protocol. The six steps are (1) neuro-linguistic
programming, (2) physical positioning, (3) progressive relaxation,
10 (4) occupying the critical/analytical factor, (5) a process of
suggestion, and (6) changing the language of the subconscious.

(1) Neuro-linguistic programming is a technique known in
the art. It is described in detail in the following works written
since the 1960's.

5 The Structure of Magic, Vol.1 - Richard Bandler/John Grinder

The Structure of Magic, Vol.2 - Grinder/Bandler

Patterns of Hypnotic Techniques of M.H. Erickson, Vol.1 -
Bandler/Grinder

20 Patterns of Hypnotic Techniques of M.H. Erickson, Vol.2 -
Grinder/Bandler

Frogs Into Princes - Bandler/Grinder

Tranceformations - Grinder/Bandler

Using Your Brain for a Change - Richard Bandler

Time for a Change - Richard Bandler

25 Persuasion Engineering - Richard Bandler/John La Valle

The Adventures of Anybody - Richard Bandler

Science and Sanity - Alfred Korzybski

Uncommon Therapy - The Psychiatric Techniques of Erickson - Jay Haley

Training Trances - John Overdurf / Julie Silverthorn

My Voice Will Go With You - Sidney Rosen

5 These are incorporated herein by reference.

(2) Physical positioning is important, to maintain the subject in a state which is both relaxed, yet not sleep-prone.

(3) Physical Positioning and Progressive Relaxation follow the methods known in the art, instructing the subject to progressively relax each part of their body. This can be done with instructions to, for example, physically perform some act, or to mentally visualize some relaxing phenomenon.

(4) Occupying the critical / analytical factor is accomplished in my preferred embodiment by having the subject perform certain tasks which both require some conscious attention, but also are not so difficult or complex as to absorb the subject's entire mental capacity.

(5) The process of suggestion is important to repeat for an effective period of time - usually at least daily for about twenty one days. This time may, however, be less when the subject is relaxed, or is in a highly-emotional state.

(6) The last step is changing the language of the subconscious. This is done by repeating a desired message - e.g., "I am free from smoking" - often enough that the desired message replaces an undesired message in the subconscious mind. For example, one technique is to get friends, coworkers, and family members to help you, by asking them to congratulate you for not smoking. The best way to accomplish this is to stick your hand

out to a friend or family member, asking that person to shake your hand and congratulate you for being a nonsmoker. When that person congratulates you, it is a positive reinforcement. The (former) smoker benefits from this positive feedback, and from knowing that
5 they are doing well in stopping smoking.

In another technique I found successful, smoking is described as like having a best friend. Psychologically, the cigarette is the support that a friend gives you. Imagine having your best friend there for you and then losing him or her. You
10 would not feel very good losing your best friend. However, if you discover that your best friend was abusing your children, most likely you would not feel the same about losing your best friend. You would still have some sort of attachment, but now you would be able to reason your way out of not having this person as a friend.
15 In my preferred embodiment, the educational program teaches smokers to look at smoking in the same way.

In my preferred embodiment of my invention, hypnosis is also administered by listening to a prerecorded audio script which provides stop-smoking messages and positive feedback for not
20 smoking. Such audio tapes are commercially available. In my preferred embodiment, I use an audio tape titled "Smoking Cessation," published by Vitamerica, Inc., Cedar Knolls, New Jersey, www.vitamerica.com, to be listened to once every day for an effective length of time, generally about twenty-one days.

25 Dietary Substances. The third element of my invention is using proper dietary substances. These address the physiological needs of people breaking their physical addiction to

nicotine. Further, one of the biggest fears of smokers is that, in stopping smoking, they will gain excess weight. Thus, in my preferred embodiment, in addition to the dietary substances that support normal form and function while recovering from a smoking addiction, one also uses dietary substances that support normal form and function for those seeking weight-loss or to reduce weight gain. In my preferred embodiment, I recommend CIGSATION™ and TRIM SPECIFICS™, dietary supplements by Vitamerica, Inc., Cedar Knolls, New Jersey, www.vitamerica.com

To aid the reader's understanding, I will discuss first the biological basis of the smoking addiction. I will then discuss the dietary substances and the diet modifications I have found effective to combat the physical smoking addiction - the addiction to nicotine. Finally, I will discuss dietary substances to control weight gain.

What causes the addiction to nicotine? The nervous system is divided into two anatomical divisions. The first is the central nervous system, which is composed of the brain and spinal cord. The second is the peripheral nervous system, which includes neurons located outside the brain and spinal cord, which includes any nerves that enter or leave the central nervous system. The peripheral nervous system can be further divided into the efferent division, whose neurons carry signals away from the brain and spinal cord to the peripheral tissues, and the afferent division, whose neurons bring information from the periphery to the central nervous system.

Nerve impulses are transmitted along a path of cells called neurons. The neurons form a knot-like mass called ganglia.

These neurons are connected by a series of bridges. The bridge is called a synapse. In order to cross the bridge, a neurotransmitter is required. Before the nerve impulses reach the relay station or bridge, they are referred to a pre-ganglionic neurons. After crossing the synapse, they are referred to as post-ganglionic neurons. The basic neurotransmitters of the autonomic nervous system are acetylcholine and epinephrine. Acetylcholine mediates the transmission of nerve impulses across autonomic ganglia in both the sympathetic and parasympathetic nervous systems.

Nicotine Receptors. These receptors, in addition to binding acetylcholine, also recognize nicotine. Nicotine initially stimulates and then blocks the receptor. There is a competitive inhibition taking place. In lay terms, the receptor has a greater affinity for nicotine than for acetylcholine. At the same time, nicotine increases the level of the neurotransmitter dopamine in a particular brain pathway which associates a molecular link between nicotine addiction and this pleasure producing pathway. This is why nicotine causes such a strong physiological addiction. Recently, scientists at Yale and at the Pasteur Institute in Paris have found that the beta 2 sub unit of a known nicotine receptor in the brain is a critical component in nicotine addiction.

To combat this nicotine addiction, it is useful to use lobelia. *Lobelia inflata* (also known as Indian Tobacco) is a plant. This plant contains three nicotine-like ingredients : 1) lobeline, 2) lobelanidine, and 3) lobelanine. On close inspection of these three ingredients one can notice that all are symmetrical

molecules. In other words, if you cut them each in half, each half is the same. The only exception is with lobeline, which has a slight difference on one side of the molecule. I refer to each of these three compounds, their analogs, and derivatives, as
5 "lobelia." After explaining some basic physiology, you will see why lobelia is important.

Nicotine causes an increase in blood pressure, increases intestinal motility, stimulates the central nervous system, has an anti diuretic effect (ability to retain water), affects heart
10 rate, affects respiration, is highly soluble and crosses the blood-brain barrier, produces some euphoria (feeling of well being), arousal, relaxation, and it improves attention, and crosses the placenta membrane and is secreted in the milk of lactating women.

15 The chronic effects of Nicotine include nasopharyngeal and bronchial irritation, lung cancer, cardiac irregularities, stimulated salivary secretion, and reduction of gastric acidity.

Let us now consider the structural formulas for the active constituents in lobelia. Because of their basically
20 symmetrical structure, it appears that they have an advantage in competing with nicotine at the effector cell site. It is postulated that these components can attach themselves to the cell site from either side of the molecule and perhaps crowd out the nicotine. Later, after the nicotine is eliminated from the
25 system, lobeline will replace nicotine at the effector cell site. While nicotine is rapidly eliminated from the body within 16-24 hours, the withdrawal symptoms can last for several weeks to several months, depending upon the individual.

Lobelia's action in the body mimics that of nicotine, but does not have the physiological dependence of nicotine. Lobelia exhibits a cross tolerance with nicotine, is one of the most useful systemic relaxants, has a relaxation effect on the central nervous system, has a relaxing action on the autonomic nervous system, has a general relaxing action on neuromuscular action, is a powerful respiratory stimulant, equalizes circulation and relieves vascular tension, provides a truly holistic action with a combination of stimulation and relaxation, and also provides the holistic action of a general relaxant with diffusive stimulation.

Recently, scientists in Japan have discovered an antidepressant component in the leaves of *lobelia inflata*. This probably explains why individuals feel better when taking lobelia.

Given this physiology, the physiologic needs of a smoker can be addressed using lobelia. In addition to lobelia, I have found that other herbal substances are useful as dietary substances. Thus, in my preferred embodiment, lobelia is used along with wood betony, fennel seed and licorice root and several other herbs.

In addition to these vitamin-type nutritional supplements, in my invention one needs lobelia. Lobelia is also known as Indian tobacco or wild tobacco and is native to North America. It includes three components significant here : lobeline, lobelanidine and lobelanine. It is pharmacologically similar to nicotine, but does not have nicotine's physiological dependency.

In my preferred embodiment of my invention, I have found it beneficial to include certain other supplements derived from

plants and herbs. Each the individual ingredients improves the function of lobelia alone, as each provides a specific function to enhance the efficacy of the product.

Wood Betony. Wood betony is used for its sedative and bitter properties. Its anti-hypertensive properties relieve nervous tension and dilate blood vessels, thus producing a calming effect. Wood betony can relieve headaches normally associated with nicotine withdrawal. Its bitter tonic properties also aid in nicotine withdrawal.

Fennel Seed. Fennel seed has been recognized to have carminative and stimulant properties. It has been reported to have a spasmolytic effect on smooth muscles. As a result, it can be used for dyspeptic discomfort, gastrointestinal discomforts and congestion of the upper respiratory tract. Since chain smokers normally have a smoker's cough resulting in congestion of the lungs, fennel seed can aid in treating that congestion. One of the constituents from the volatile oil expressed from fennel is anethol. Anethol has been shown experimentally to reduce secretions of the upper respiratory tract (i.e., lungs).

Licorice Root. The major active ingredient in licorice root is glycyrrhizin. The glycyrrhizin is responsible for a vasopressor response, which is similar to that occurring in nicotine. However, while it mimics that response, it also exhibits anti-inflammatory and an antitussive effects that is comparable to codeine in potency. This is due to the derivative 18 Beta-glycyrrhetinic acid which prevents smoker's cough. In addition, the flavonoids in licorice root have recently been shown to have strong antioxidant and anti-hepatotoxic activities. These

activities will help cleanse the body of the free radicals and other toxic substances generated from smoking. Licorice extracts are often used in anti-smoking preparations as a flavoring agent to mask bitter nauseous or other undesirable tastes from other components of the preparation. Licorice can also be used to treat stomach irritation arising from nicotine usage.

In addition to the foregoing, I have found it useful to use also blue cohosh, black walnut husk, chamomile flower, gotu kola leaf extract, kava kava root, peppermint, sarsaparilla root, slippery elm bark, valerian root, bayberry fruit, myrrh, passion flower, ginger root and eucalyptus oil. Thus, in my preferred embodiment, I use each of these, for the following reasons.

Blue Cohosh. It has demonstrated anti-inflammatory activity in animals. Blue cohosh can be used for nervous disorders.

Black Walnut Husk. Black walnut husk is a blood cleanser and oxidizer. It has been shown to be useful in lung disease and has strong anti-fungal and antibacterial properties. It is a rich dietary source of protein, iodine, chromium, potassium, manganese, vitamin A and the powerful antioxidant vitamin C.

Chamomile Flower. Chamomile flower has essential oils that contain a variety of glycosides, and other important constituents and chemically related compounds. Several of the therapeutic constituents of the volatile oil are chamazulene and alpha bisabolol oxide A. Chamazulene has demonstrated anti-inflammatory activity, pain relieving, wound healing, antispasmodic and anti-microbial properties. Alpha bisabolol has

anti-inflammatory, anti-microbial and anti-peptic activities. Matricin has been found to have a sufficiently stronger anti-inflammatory effect than chamazulene.

Gotu Kola Leaf Extract. The gotu kola leaves contain
5 properties that have been shown to accelerate wound healing, improve memory, relieve fatigue and stress, increase mental acuity and improve behavioral patterns. This produces a calming effect within the body, thereby relieving the stress associated with nicotine withdrawal symptoms.

10 Kava Kava Root. The active ingredients in kava kava root are a group of compounds known as the kavalactones. They are recognized for their biological activity as a sedative, anti-convulsive and tonic. Additional constituents in kava kava root have demonstrated muscle relaxant activity and have been used for
15 their ability to combat nervous anxiety and unrest. Kava kava also has expectorant properties. This allows the heavy smoker to expectorate residual mucus from the lungs.

Peppermint. Peppermint yields a volatile oil that is composed mainly of menthol. Menthol has long been recognized as a
20 cooling agent in topical preparations. Also present are many other ingredients, some of which have been characterized to have biological activity. One such constituent is bisabolene, which has demonstrated to have anti-inflammatory activity. Other constituents in peppermint include flavonoids such as hesperetin
25 and rutin. Also present are tocopherols, carotenoids, choline and azulenes. Azulene isolated from peppermint demonstrated anti-inflammatory and antinuclear effects in experimental animals. Peppermint oil is extensively used as a flavoring agent,

carminative, antiseptic and local anesthetic in cold, cough and other preparations. Peppermint and their oils have been used in traditional medicine as a stomachic, stimulant, antiseptic, local anesthetic and antispasmodic in treating indigestion, sore throat, 5 nausea, diarrhea and colds.

Sarsaparilla Root. The major component of sarsaparilla is a variety of steroids which include sarsasapogenin, smilagenin, sitosterol, stigmasterol and pollinastanol, and their glycosides (saponins) including sarsasaponin (parillin), smilasaponin 10 (smilacin), sarsaparilloside and sitosterol glucoside. Sarsaparilla is reported to have hepatoprotective, diuretic and anti-inflammatory activity.

Slippery Elm Bark. The principal constituent of slippery elm bark is mucilage. The mucilage has demulcent 15 (soothing) and nutritive properties. It can sometimes be used to soothe irritated lungs.

Valerian Root. Valerian root has a variety of constituents but the major one, valerenic acid, produces a nerving or sedative effect. Valerian has CNS depressant activities. As a 20 result, in states of agitation normally witnessed by smokers during withdrawal, this will have a calming effect. It has also been shown that in conditions of fatigue, the herb has demonstrated stimulating properties.

Bayberry Fruit. Bayberry fruit has been recognized to 25 have a tonic effect.

Myrrh. Myrrh is reported to have astringent effects on mucus membranes. It is often used as a flavor component to mask bitter ingredients. It has also been used as a stimulant and

expectorant. The expectorant properties will help the smoker remove mucus and phlegm from the lungs.

Passion Flower. Passion flower contains indole alkaloids, flavonoids and steroids. The indole alkaloids and
5 flavonoids have tranquilizing effects. Anxiolytic and hypotensive activity has also been reported.

Ginger Root. Ginger root is used to combat nausea and vomiting, which may accompany nicotine withdrawal.

Eucalyptus Leaf Oil. The leaves contain .05 to 3.5%
10 oil. The oil consists mostly of eucalyptol (1, 8-cineole). It is used in an anti-smoking formula as an expectorant to help remove mucus from the lungs.

In my preferred embodiment of my invention, these dietary substances are used as found in CIGSATION™ 100% Natural
15 Cigarette Replacement System, commercially available from Vitamerica, Inc., Cedar Knolls, New Jersey 07927, www.vitamerica.com. Each of these dietary substances adds to the benefit obtained from using lobelia alone.

In addition to addressing the physical nicotine
20 addiction, I find it useful to address the smoker's fear of excessive weight gain, by using a "weight control product," a drug or dietary substances useful in controlling unnatural weight gain. Such dietary substances include chromium, choline, inositol, vanadium, gynema sylvestre, lecithin, vitamin B6, ginseng, zinc,
25 mahuang, kola nut extract, spirulina, and methionine. Several of these are known physiological stimulants, which increase thermogenesis in the body and thus promote expending calories. I

will discuss each in turn, and its usefulness in a weight-control product.

Chromium. What is chromium? It's the mineral that no body can afford to be without. Like iron, copper and zinc, chromium is one of the 16 essential trace minerals the body needs to keep healthy and fit. And for people who are overweight and out of shape, chromium may be the most precious mineral of all. In its biologically active form, it helps insulin to metabolize fat, convert protein into muscle, and convert sugar into energy.

Chromium-activated insulin actually increases almost twenty times the amount of glucose available for energy production, optimizing energy output so that you feel healthy and alive.

Chromium is the "master" nutrient for controlling blood sugar. It helps overcome sugar cravings, which is a problem with many overweight people. It also plays an important role in controlling blood lipids, lowering harmful LDL cholesterol, and increasing beneficial HDL cholesterol.

Research shows that a chromium deficiency may be a widespread problem. Many people, such as athletes, diabetics, mothers and the elderly, are at especially high risk. A lack of chromium can impair insulin function, thereby inhibiting protein synthesis and energy production. More seriously, it can even lead to type II diabetes and heart disease.

In my preferred embodiment, the chromium is a form of chromium commercially available under the trade name CHROMIUM CHELAVITE™, available from Vitamerica, Inc. of Cedar Knolls, New Jersey.

The most biologically active form of chromium, the true GTF chromium, is the basis for the molecular structure of CHROMIUM CHELAVITE™. Studies on CHROMIUM CHELAVITE™ at a leading Utah university have shown that this form of chromium is clearly
5 superior to both chromium picolinate and chromium polynicotinate in absorb ability. It had an absorption rate that was 53% greater than for chromium picolinate and 91% greater than that observed for chromium polynicotinate.

Choline. Choline is one of the most beneficial
10 nutritional supplements. Technically, it is not a vitamin, even though it is essential for human life. There are three major functions of choline among humans. It is needed for building cell structure, it prevents or minimizes unhealthy fat deposits in the liver, and it acts as a precursor to acetylcholine. Acetylcholine
15 is a neurotransmitter in the brain which is responsible for nerve impulses, memory, learning, mood elevation and depression control.

Choline has a very positive effect on the health of the liver. It is a lipotropic agent (fat eliminator) that can cut away
20 fats in the liver to be used instead of energy. Choline aids in weight loss by facilitating Growth Hormone (GH) releasers, controlling cholesterol, and helping control the appetite. It also helps reduce the "gut transit time", the amount of time it takes food to move through the intestines. In addition to helping speed food through the system, choline also plays an important role in
25 the body's ability to metabolize fat and cholesterol.

Inositol. Inositol is a member of the B complex of vitamins. It provides a calming effect, nourishes brain cells, helps reduce cholesterol, slows artery hardening, prevents eczema,

and is needed for hair growth and metabolism. It is found in high concentrations in the brain, and serves as a brain cell membrane stabilizer. Inositol also helps in lecithin formation, and aids the body in the metabolism of fat and cholesterol.

5 Vanadium. A trace mineral like chromium, vanadium is essential for cellular activity and for the formation of bones and teeth. It also inhibits the synthesis of cholesterol and lowers certain forms of high blood pressure. It works remarkably well as a powerful insulin mimic and has been shown to normalize blood
10 sugar levels, even in diabetics.

Gynema Sylvestre. This tropical herb is beginning to receive much attention due to impressive results in recent studies. Gynema Sylvestre appears to have a positive effect in lowering blood sugar levels, especially in diabetics. Research
15 also suggests that it can help curb sugar absorption.

Lecithin. Lecithin is part of every single cell in the body, but has its greatest concentration in the brain. About 17-20% of the brain is made up from lecithin. Lecithin is an emulsifier. It is used in the manufacture of chocolate, because it
20 keeps it liquid and it keeps it moving. Lecithin does the same thing for the fat in the human body; it keeps it moving, right out of the body.

Lecithin is a natural diuretic and an effective cholesterol reducer. It helps prevent the buildup of cholesterol
25 on arterial walls, thus improving the circulation of the blood. One study that examined 900 men for atherosclerosis (fat deposits in the arteries) showed that those with more than 36% lecithin in

the blood had no atherosclerosis. Those with less than 34% showed evidence of the disease.

Lecithin is also the source of two of the hardest to find B-Complex relatives, choline and inositol. A major function of lecithin is to supply choline in the diet. Choline (see entry) has the function of breaking down fat deposits in the body. Our bodies do not manufacture enough choline. Therefore, we must rely upon our food and supplements such as lecithin to make sure that we get enough.

Vitamin B6. Vitamin B6 aids in more bodily functions than any other single nutrient. It facilitates the body's use of carbohydrates, proteins and fats. It promotes mental performance by aiding in the transport of amino acids, which are used by the brain to increase mental energy and memory. It also promotes the transport of choline, and aids in the breakdown of glycogen, the primary fuel for the brain.

Ginseng. For centuries, the Chinese have testified to the beneficial effects of Ginseng on longevity. Ginseng provides stimulation to the entire body, helping to overcome stress and fatigue. Ginseng can regulate and normalize blood pressure and blood sugar levels. It has been called a cure-all and has also been claimed to be a mild sexual stimulant. Over all, Ginseng has a phenomenal effect on the body's energy level.

Zinc. Zinc is another important trace mineral that is used by more than 200 enzymes to keep the body's major metabolic systems going strong. In addition to its role in metabolism, zinc is a potent antioxidant, profoundly important in enhancing the

immune system, stimulating cellular growth, reducing excess levels of damaging free radicals, and improving general health.

Mahuang. Mahuang, also known as ephedra, contains a potent alkaloid, ephedrine. This natural stimulant increases the basal metabolic rate, which helps to burn calories more effectively. It has also been used as a remedy for kidney and bladder problems, as well as for colds, asthma, and hay fever.

Kola Nut Extract. This is a natural stimulant that increases energy and stamina. It has been found to be very useful in preventing fatigue. Kola Nut Extract also acts as a tonic agent for the heart, and it is sometimes useful in relieving pain, neuralgia, and headache.

Spirulina. This famed blue-green algae contains concentrations of nutrients unlike any other single grain, plant or herb. This super nutrient is a naturally digestible food that aids in protecting the immune system, in cholesterol reduction and in mineral absorption. It also helps to cleanse and heal, while also curbing the appetite.

Methionine. Methionine is an amino acid that assists the gall bladder function by helping to synthesize bile salts. It is a lipotropic substance that prevents the deposits of and cohesion of fats in the liver. It is also reported to be a growth hormone releaser.

It serves as an antioxidant in the brain. It helps prevent the buildup of heavy metals and plays an important and essential role in the production of the brain neurotransmitter choline. Methionine is not found in the body. Therefore, it must be gotten via food and supplementation. It is also a good source

of sulfur, and its therapeutic lipotropic effects help to eliminate fatty substances from the body.

Each of these dietary substances can be found in TRIM SPECIFICS™, available from Vitamerica, Cedar Knolls, New Jersey,
5 www.vitamerica.com.

Without further elaboration, it is believed that one skilled in the art can, using the preceding description, utilize the present invention to its fullest extent. The examples I discuss here are included as the preferred embodiment of my
10 invention, and not to further qualify the description.

Claims

I claim:

1. A method for helping a tobacco smoker to stop smoking, said method comprising the steps of:

5 (A) providing to a tobacco smoker an educational program to educate said tobacco smoker's conscious mind, said educational program including education both on the disadvantages of smoking and on conscious techniques to stop smoking,

(B) providing to said tobacco smoker at least one hypnosis
10 program to train said tobacco smoker's subconscious mind to discourage said tobacco smoker from performing smoking behavior, and

(C) providing to said tobacco smoker lobelia in an amount effective to aid in the reduction or cessation of said tobacco
15 smoker's craving to smoke tobacco, such that said tobacco smoker can be helped to stop smoking.

2. The method of claim 1, further comprising the step of:
(D) providing to said tobacco smoker, wood betony.

3. The method of claim 2, further comprising : (E)
20 providing to said tobacco smoker, fennel seed.

4. The method of claim 3, further comprising the step of:
(F) providing to said tobacco smoker, licorice root.

5. The method of claim 4, further comprising the step of:
(G) providing to said tobacco smoker, black walnut husk,
25 chamomile, kava kava root, peppermint, sarsaparilla root, valerian root, bayberry root, passion flower, ginger root, eucalyptus leaf oil, lecithin, vitamin B6, ginseng, zinc, spirulina, and methionine.

6. The method of claim 1, where said hypnosis program comprises prerecorded media useable by said tobacco smoker when alone.

7. The method of claim 1, further comprising the step of:
5 (D) providing to said tobacco smoker, at least one weight-control product.

8. The method of claim 7, where the weight control product includes at least one stimulant.

9. The method of claim 8, where the stimulant is selected
10 from the group consisting of mahuang, kola nut extract, gotu kola leaf extract and myrrh.

10. The method of claim 9, wherein the weight control product comprises chromium.

11. A product to aid a tobacco-smoker in ceasing to smoke
15 tobacco, said product comprising:

(A) means for educating said tobacco smoker's conscious mind, said educational program including education both on the disadvantages of smoking and on conscious techniques to stop smoking,

20 (B) means for hypnosis to train said tobacco smoker's subconscious mind to discourage said tobacco smoker from performing smoking behavior, and

(C) lobelia in an amount effective to aid in the reduction or cessation of said smoker's craving to smoke tobacco.

25 12. The product of claim 11, further comprising: (D) wood betony.

13. The product of claim 12, further comprising: (E) fennel seed.

14. The product of claim 13, further comprising: (F) licorice root.

15. The product of claim 14, further comprising: (G) black walnut husk, chamomile, kava kava root, peppermint, sarsaparilla root, valerian root, bayberry root, passion flower, ginger root, eucalyptus leaf oil, lecithin, vitamin B6, ginseng, zinc, spirulina, and methionine.

16. The product of claim 11, where said means for hypnosis comprises prerecorded media useable by said tobacco smoker when alone.

17. The product of claim 11, further comprising: (D) at least one weight-control product.

18. The product of claim 17, where the weight control product includes at least one stimulant.

19. The method of claim 18, where the stimulant is selected from the group consisting of mahuang, kola nut extract, gotu kola leaf extract and myrrh.

20. The method of claim 19, wherein the weight control product comprises chromium.

Abstract of the Disclosure

The inventor discloses a unique, new and useful process to reduce tobacco smoking, entitled Stop Smoking Method and Composition, consisting of: (1) educating tobacco smokers
5 regarding smoking, its physiological dangers and addictive nature, and techniques to stop smoking; (2) hypnotizing said tobacco smokers, and (3) providing dietary substances to address the nutritional needs of nicotine addiction and the nutritional challenges thereof.

Please type a plus sign (+) inside this box → ☐

PTO/SB/01 (12-97)

Approved for use through 9/30/00. OMB 0651-0032

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

**DECLARATION FOR UTILITY OR
DESIGN
PATENT APPLICATION
(37 CFR 1.63)**

☒ Declaration Submitted with Initial Filing OR ☐ Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16 (e)) required)

Attorney Docket Number

Vitamenica I

First Named Inventor

Szynalski

COMPLETE IF KNOWN

Application Number

/

Filing Date

Oct. 21, 1999

Group Art Unit

Examiner Name

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

Stop Smoking Method and Composition

the specification of which

(Title of the Invention)

☒ is attached hereto
OR

☐ was filed on (MM/DD/YYYY)

as United States Application Number or PCT International

Application Number and was amended on (MM/DD/YYYY) (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
				YES	NO
n/a			<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto:

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date (MM/DD/YYYY)	<input type="checkbox"/> Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.
n/a		

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Please type a plus sign (+) inside this box → ☐

PTO/SB/01 (12-97)
Approved for use through 9/30/00. OMB 0651-0032

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION — Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application or PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)
n/a		

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: ☐ Customer Number OR

☒ Registered practitioner(s) name/registration number listed below

Place Customer Number Bar Code Label here


Name	Registration Number	Name	Registration Number
Mark Pohl	35,325		

☐ Additional registered practitioner(s) named on supplemental Registered Practitioner Information sheet PTO/SB/02C attached hereto.

Direct all correspondence to: ☐ Customer Number OR ☒ Correspondence address below


Name	Mark Pohl				
Address	55 Madison Ave., 4th floor				
Address					
City	Morristown	State	NJ	ZIP	07960
Country	USA	Telephone	(973) 665-0275	Fax	(973) 665-0275

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor:		<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle, if any)		Family Name or Surname			
Alexander Goen		Szynalski			
Inventor's Signature				Date	10/25/99
Residence: City	Randolph	State	NJ	Country	USA
Post Office Address	8 Ridgedale Ave., Cedar Knolls NJ 07927				
Post Office Address					
City	Cedar	State	NJ	ZIP	07928
				Country	USA

☐ Additional inventors are being named on the _____ supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto

United States Patent & Trademark Office
Office of Initial Patent Examination -- Scanning Division



Application deficiencies were found during scanning:

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

There are 30 pages of specification not 36

☐ Scanned copy is best available.